

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number:

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Monday
Date: 4/10/2006

Time: 08:11:44

 **PALM INTRANET**

Inventor Information for 10/689568

Inventor Name	City	State/Country
ROSS, DENWOOD F. III	AUSTINBURG	OHIO
EDWARDS, TIM D.	CLEVELAND	OHIO
MAREK, C. THOMAS	FINDLAY	OHIO

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

Search Another: Application# [Search](#) or Patent# [Search](#)
PCT / / [Search](#) or PG PUBS # [Search](#)
Attorney Docket # [Search](#)
Bar Code # [Search](#)

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20050094100 A1	US- PGPUB	20050505	Ophthalmic wavefront measuring devices	351/212		Ross, Denwood F. et al.
US 20040189981 A1	US- PGPUB	20040930	Inspection of ophthalmic lenses using absorption	356/124		Ross, Denwood F. III et al.
US 20040090073 A1	US- PGPUB	20040513	Bag dispenser incorporated into handle of a scoop	294/1.3	209/418; 294/55	Edwards, Timothy et al.
US 20040043652 A1	US- PGPUB	20040304	Initiator having integral features for orienting and holding an insertable electrical shunt	439/188		Edwards, Timothy
US 20040017544 A1	US- PGPUB	20040129	Contact lenses and methods for their design	351/219		Roffman, Jeffrey H. et al.
US 20040004696 A1	US- PGPUB	20040108	Method and apparatus for measuring wavefront aberrations	351/212		Davis, Brett A. et al.
US 20030169907 A1	US- PGPUB	20030911	Facial image processing system	382/118	382/190	Edwards, Timothy et al.
US 20030142271 A1	US- PGPUB	20030731	Aberration and corneal topography measurement	351/212		Ross, Denwood F. et al.
US 20030141458 A1	US- PGPUB	20030731	Missing lens detection system and method	250/458.1	356/239.2; 356/239.6; 356/432	Ross, Denwood F. III et al.
US 20030127589 A1	US- PGPUB	20030710	Self contained sensing apparatus and system	250/239		Corrado, Christopher et al.
US 20030081174 A1	US- PGPUB	20030501	Subjective refinement of wavefront measurements	351/212		Ross, Denwood F. et al.
US 20030048413 A1	US- PGPUB	20030313	Ophthalmic wavefront measuring devices	351/211		Ross, Denwood F. et al.
US 20030001083 A1	US- PGPUB	20030102	Self contained sensing apparatus and system	250/239		Corrado, Christopher et al.
US 20020167642 A1	US- PGPUB	20021114	Method and apparatus for measuring wavefront aberrations	351/206		Jones, Larry G. et al.
US 20020159029 A1	US- PGPUB	20021031	Defocus and astigmatism compensation in a wavefront aberration measurement system	351/212		Ross, Denwood F. et al.
US	US-	20020905	Inspection of ophthalmic lenses	356/124		Ross,

20020122172 A1	PGPUB		using absorption			Denwood F. III et al.
US 20020074511 A1	US- PGPUB	20020620	Missing lens detection system and method	250/458.1	250/339.07; 250/339.11; 250/341.1; 250/341.8; 250/372	Ross, Denwood F. III et al.
US 20020071097 A1	US- PGPUB	20020613	Ocular aberration correction taking into account fluctuations due to biophysical rhythms	351/212		Ross, Denwood F. III et al.
US 20020066867 A1	US- PGPUB	20020606	Missing lens detection system and method	250/461.1	250/222.1; 250/341.1; 250/341.8; 250/372	Ross, Denwood F. III et al.
US 20020052245 A1	US- PGPUB	20020502	Open top swing	472/119		Flannery, Mark A. et al.
US 7019659 B2	USPAT	20060328	Network system, managing server, electrical apparatus, battery status managing method, battery diagnosis method, and program thereof	340/636.1	320/107; 702/182	Kobayashi; Masaki et al.
US 6924745 B2	USPAT	20050802	System and method for monitoring packer slippage	340/856.3	166/250.17; 166/387	Schultz; Roger L. et al.
US 6903662 B2	USPAT	20050607	Computer input device with individually positionable and programmable input members	341/22	340/10.6; 341/20; 345/172; 400/492	Rix; Scott M. et al.
US 6885317 B1	USPAT	20050426	Touch-typable devices based on ambiguous codes and methods to design such devices	341/22	345/168; 400/472; 400/486	Gutowitz; Howard Andrew
US 6885282 B2	USPAT	20050426	Combined tire pressure monitoring and keyless entry receiver	340/5.61	340/10.1; 340/10.2; 340/10.5; 340/5.6; 340/5.62; 340/5.64	Desai; Tejas B. et al.
US 6882299 B1	USPAT	20050419	Portable internet-enabled controller and information browser for consumer devices	341/176	348/734; 398/106	Allport; David E.
US 6876311 B2	USPAT	20050405	Spindle mounted telemetry system	340/870.07	301/126; 340/442; 73/146	Sommerfeld; Jodi L. et al.
US 6870486 B2	USPAT	20050322	System and method for utilizing a pasteurization sensor	340/870.16	426/34	Souza; Leonardo de Oliveira de

						Freitas et al.
US 6864803 B2	USPAT	20050308	System and method for tire pressure monitoring using CDMA tire pressure signals	340/870.16	340/442; 340/447; 73/146.2	Tang; Qingfeng et al.
US 6864802 B2	USPAT	20050308	Wireless spread-spectrum telesensor chip with synchronous digital architecture	340/870.07	257/678; 257/924; 361/820	Smith; Stephen F. et al.
US 6847323 B2	USPAT	20050125	Remote controller	341/176	446/454	Lai; Aling
US 6847310 B1	USPAT	20050125	Keyboard	341/22	345/168; 379/93.27	Gill; Christopher Francis et al.
US 6847305 B1	USPAT	20050125	In-tank fuel level data networks for retailer data	340/870.07	137/236.1; 700/283; 705/28	Buck; Michael
US 6839002 B2	USPAT	20050104	Foldable keyboard	341/22	345/169; 361/686; 400/714	Olodort; Robert et al.
US 6828919 B1	USPAT	20041207	Exciter assembly telemetry	340/870.29	318/718	Gold; Calman
US 6827442 B2	USPAT	20041207	Ophthalmic wavefront measuring devices	351/205	250/201.9; 351/246	Ross; Denwood F. et al.
US D498955 S	USPAT	20041130	Bag dispenser for pet refuse	D6/515		Edwards; Timothy
US 6822602 B2	USPAT	20041123	Method for generating and transmitting/receiving input codes in universal input device and apparatus thereof	341/173	341/176; 345/169; 348/734; 386/83; 398/106	Kang; Mun-hyuk et al.
US 6812881 B1	USPAT	20041102	System for remote communication with an addressable target using a generalized pointing device	341/176	340/825.56; 348/734	Mullaly; John Martin et al.
US 6812853 B1	USPAT	20041102	Telemetry system	340/870.1	702/104; 73/387	Matsui; Takahiro
US 6806815 B1	USPAT	20041019	Keypad structure with inverted domes	341/22	200/310; 200/5A; 341/31	Kaikuranta; Terho et al.
US 6801135 B2	USPAT	20041005	Webserver-based well instrumentation, logging, monitoring and control	340/853.1	367/81; 702/188	Schultz; Roger L. et al.
US 6794993 B1	USPAT	20040921	Arrangement for transmitting signals from a device monitoring tire pressure on the wheels of a motor vehicle to an	340/870.16	340/442; 340/447; 73/146.5	Kessler; Ralf et al.

			evaluation device arranged in a motor vehicle			
US 6791480 B1	USPAT	20040914	Method of preventing and/or alleviating repetitive use injury to electronic computer keyboard operator	341/34	200/515; 400/491.2	Uke; Alan K.
US 6791470 B1	USPAT	20040914	Reducing injection loss in drill strings	340/854.4	181/139; 340/855.7; 367/81; 367/82	Drumheller; Douglas S.
US 6788242 B2	USPAT	20040907	Method and apparatus for transferring information to a remote control	341/176	340/825.22; 348/734; 725/86	Pruitt; Ralph
US 6788220 B2	USPAT	20040907	Multi-speed capacitive displacement encoder	340/870.37	33/1N; 33/1PT; 33/706; 356/492	Netzer; Yishay
US 6788218 B2	USPAT	20040907	Pseudo real-time diagnostic and process monitoring system	340/870.16	700/200; 700/223; 705/28	Sudolcan; David C.
US 6781525 B2	USPAT	20040824	Shared interface device	341/22	361/686; 710/303	Chen; Chien Chih et al.
US 6778100 B2	USPAT	20040817	Conduit network system	340/870.07	340/870.11; 73/861.23; 73/861.77	Schempf; Hagan
US 6778099 B1	USPAT	20040817	Wireless area network communications module for utility meters	340/870.02	340/870.07; 340/870.39	Meyer; Peter R. et al.
US 6774819 B1	USPAT	20040810	Flexible keyboard	341/22	200/512; 345/168; 400/712	Falconer; Maynard
US 6774814 B2	USPAT	20040810	Pipe-to-soil testing apparatus and methods	340/870.07	340/870.09; 340/870.16; 455/420	Hilleary; Thomas N.
US 6771184 B1	USPAT	20040803	Data devices	340/870.16	340/870.17; 348/553; 725/68	Steval; Michael
US 6771183 B2	USPAT	20040803	Advanced thermal container	340/870.01	220/592.25; 340/870.16; 340/870.17	Hunter; Rick C.
US 6768700 B2	USPAT	20040727	Method and apparatus for communications in a wellbore	367/81	340/853.2; 340/853.3	Veneruso; Anthony F. et al.
US 6753792 B2	USPAT	20040622	Distribution line capacitor monitoring and protection module	340/870.07	307/116; 361/16; 700/292	Beckwith; Robert W.

US 6750803 B2	USPAT	20040615	Transformer remote control	341/176	345/158; 345/173	Yates; William Allen et al.
US 6750801 B2	USPAT	20040615	Remote control device with directional mode indicator	341/176	340/825.72; 348/734	Stefanik; John R.
US 6747573 B1	USPAT	20040608	Apparatus and method for generating coded high-frequency signals	340/870.21	340/825.72; 340/870.33; 455/127.1	Gerlach; Horst et al.
US 6747572 B2	USPAT	20040608	Autonomous sensor system for remote sensing and signal transmission	340/870.16	136/236.1; 257/467	Bocko; Mark F. et al.
US 6746121 B2	USPAT	20040608	Defocus and astigmatism compensation in a wavefront aberration measurement system	351/212		Ross; Denwood F. et al.
US 6744386 B2	USPAT	20040601	Prevention of incompatible keyboard selections from being entered during power initialization	341/22	400/472	King; Dale Wayne
US 6744375 B1	USPAT	20040601	Device and method for determining and displaying travel or fitness quantities of a user of a sports equipment	340/870.07	377/24.2; 73/490	Groos; Daniel
US 6741189 B1	USPAT	20040525	Keypad having optical waveguides	341/31	250/227.22; 385/123	Gibbons, II; R. Thomas et al.
US 6737984 B1	USPAT	20040518	Automatic meter reading system using locally communicating utility meters	340/870.02	340/310.12; 379/106.03; 455/3.03	Welles, II; Kenneth Brakeley et al.
US 6734809 B1	USPAT	20040511	Foldable keyboard	341/22	345/169; 400/472	Olodort; Robert et al.
US 6734806 B1	USPAT	20040511	Method and system for signaling utility usage	340/870.09	702/61; 705/412	Cratsley, III; Charles W.
US 6734805 B2	USPAT	20040511	Composite pipe telemetry conduit	340/854.4	138/123; 340/854.3	Johnson; Ready J.
US 6731227 B2	USPAT	20040504	Qwerty type ten-key board based character input device	341/22	345/169; 379/368	Horie; Kenichi
US 6731224 B1	USPAT	20040504	Method and device for preprocessing a received, data coded transmitting signal	340/870.19	324/166; 702/148	Chen; Ling et al.
US 6731223 B1	USPAT	20040504	Meshed telemetry system	340/870.15	340/540; 370/312	Partyka; Andrzej
US 6727827 B1	USPAT	20040427	Measurement while drilling electromagnetic telemetry system using a fixed downhole receiver	340/854.9	324/339; 324/345; 340/854.4; 367/82	Edwards; John E. et al.
US 6724339	USPAT	20040420	System and method for	341/176	340/825.72;	Conway;

B2			controlling home appliances		348/735; 398/111	James N. et al.
US 6724324 B1	USPAT	20040420	Capacitive proximity sensor	341/33	324/663; 340/562	Lambert; David Kay
US 6724319 B1	USPAT	20040420	Acoustic sensing system for downhole seismic applications utilizing an array of fiber optic sensors	340/854.7	250/227.14; 359/290	Knaack; William C. et al.
US 6723981 B2	USPAT	20040420	Self contained sensing apparatus and system	250/239	414/222.01; 414/935	Corrado; Christopher et al.
US 6720887 B1	USPAT	20040413	Flexible, reconfigurable wireless sensor system	340/870.28	128/903; 340/573.1; 600/301	Zunti; James Michael
US 6717531 B2	USPAT	20040406	Keyboard device and a method of controlling a power supply incorporated in the keyboard device	341/22	361/686; 400/717; 455/556.2	Hayashi; Keiichi
US 6714143 B2	USPAT	20040330	Auxiliary keyboard and keyboard improved in operability for key input, and control method therefor	341/23	341/22; 345/168; 361/686	Ideura; Katsuji
US 6714138 B1	USPAT	20040330	Method and apparatus for transmitting information to the surface from a drill string down hole in a well	340/854.3	340/855.4; 340/856.4; 367/84	Turner; William Evans et al.
US 6710720 B2	USPAT	20040323	Pressure impulse telemetry apparatus and method	340/854.3		Carstensen; Kenneth J. et al.
US 6703942 B1	USPAT	20040309	Measuring system using detachable reading/programming means	340/870.3	340/310.16; 340/870.07	Borelli; Riccardo et al.
US 6697298 B1	USPAT	20040224	High efficiency acoustic transmitting system and method	367/81	340/854.4; 340/855.6; 367/82; 73/152.01	Dubinsky; Vladimir et al.
US 6696987 B1	USPAT	20040224	Electronic device with illuminated operator button, the activation of said operator buttons being determined by detection of the change in the luminous reflectance	341/31	250/215; 250/221; 341/22	Rychlak; Stefan
US 6696974 B1	USPAT	20040224	Cable device for detecting and monitoring rock and soil displacement	340/854.7	324/534; 324/535; 340/870.31	Mathis; James I.
US 6690314	USPAT	20040210	REMOTE CONTROLLER	341/176	340/825.69;	Fujii;

B2			KEY CONTINUOUS PRESS DETECTING APPARATUS, REMOTE CONTROLLER KEY CONTINUOUS PRESS DETECTING METHOD AND MEDIUM WITH REMOTE CONTROLLER KEY CONTINUOUS PRESS DETECTING PROGRAM RECORDED THEREON		348/734; 398/115	Noriyuki
US 6690303 B1	USPAT	20040210	Character input method	341/23	341/20; 341/22; 345/168; 400/100	Shitara; Sadanori et al.
US 6688745 B2	USPAT	20040210	Subjective refinement of wavefront measurements	351/206	351/212	Ross; Denwood F. et al.
US 6686852 B1	USPAT	20040203	Keypad layout for alphabetic character input	341/22	379/368	Guo; Jin
US 6680678 B2	USPAT	20040120	Circuit layout arrangement for key switch signal recognition	341/22	200/5A; 341/26; 400/477	Chiu; Chui- Kuei et al.
US 6680677 B1	USPAT	20040120	Proximity detector to indicate function of a key	341/22	341/34; 400/491.3; 400/712	Tiphane; Guy
US 6677862 B1	USPAT	20040113	Transmitter tolerant to crystal variations	340/870.03	340/870.02; 340/870.11; 375/295; 375/306	Houlihane; Thomas Sean et al.
US D485025 S	USPAT	20040106	Combined pet litter scoop with bag dispenser integrated into handle	D30/162		Edwards; Timothy et al.
US 6667697 B2	USPAT	20031223	Modified keys on a keyboard	341/22		Botich; June E.
US RE38348 E	USPAT	20031216	Battery assembly	340/870.02	324/157; 361/659; 429/100; 73/273	Bloss, Jr.; Kenneth R. et al.
US 6664901 B1	USPAT	20031216	Keyboard input device	341/22	200/302.1; 200/515	Yamada; Naoki et al.
US 6657560 B1	USPAT	20031202	Rounded keypad	341/22	400/486	Jung; Richard
US 6657553 B1	USPAT	20031202	Method of monitoring a protected space	340/870.11	340/541; 340/870.07; 348/143; 725/93	Bergman; Robert L. et al.

US 6653945 B2	USPAT	20031125	Radio communication network for collecting data from utility meters	340/870.02	340/870.11; 370/328	Johnson; Dennis F. et al.
US 6650249 B2	USPAT	20031118	Wireless area network communications module for utility meters	340/870.28	340/870.11; 375/222; 700/291	Meyer; Peter R. et al.
US 6646573 B1	USPAT	20031111	Reduced keyboard text input system for the Japanese language	341/28	341/22; 400/110; 715/535	Kushler; Clifford A. et al.
US 6646572 B1	USPAT	20031111	Method for designing optimal single pointer predictive keyboards and apparatus therefore	341/22	341/23; 341/34; 345/173; 382/230	Brand; Matthew
US 6646567 B1	USPAT	20031111	Wireless telematic thermometer	340/870.17	128/903; 340/573.1; 600/549	Olivas; Benjamin Martinez
US 6642858 B1	USPAT	20031104	Apparatus for inputting opening and closing parentheses simultaneously by single keystroke and method for the same	341/22		Wang; Chin Ping
US 6636162 B1	USPAT	20031021	Reduced keyboard text input system for the Japanese language	341/28	341/22; 379/368; 400/110; 715/535	Kushler; Clifford A. et al.
US 6636159 B1	USPAT	20031021	Borehole logging apparatus for deep well drillings with a device for transmitting borehole measurement data	340/854.3	340/855.4; 367/83; 73/152.43	Winnacker; Helmut
US 6633237 B2	USPAT	20031014	Methods and apparatus for data transfer in electronic energy meters	340/870.02	324/142; 702/61	Gandhi; Guljeet S.
US D480243 S	USPAT	20031007	Bag dispenser	D6/515	D23/234	Edwards; Timothy et al.
US 6630895 B1	USPAT	20031007	Computer keyboard with built-in display	341/22	345/168; 400/703	Dong; Vinson
US 6630894 B1	USPAT	20031007	Self-powered switching device	341/22	310/311; 310/318; 341/176	Boyd; Clark Davis et al.
US 6628207 B1	USPAT	20030930	Method and apparatus for detecting and reporting a power outage	340/870.02	324/110; 379/106.01	Hemminger; Rodney C. et al.
US 6621446 B1	USPAT	20030916	Remote control unit	341/176	200/302.1; 341/22	Chaillie; Frederic
US 6621424 B1	USPAT	20030916	Method for predicting keystroke characters on single	341/22	341/23	Brand; Matthew

			pointer keyboards and apparatus therefore			
US 6617983 B1	USPAT	20030909	Glass keyboard, and method for producing a glass keyboard	341/34	200/512; 345/173	Platz; Karl-Otto
US 6617978 B2	USPAT	20030909	Electricity meter	340/870.29	250/231.16; 324/96; 340/870.01	Ridenour; Ronald E. et al.
US 6614380 B1	USPAT	20030902	Reverse dome switch	341/176	200/512; 361/749	Desai; Tejas et al.
US 6614361 B1	USPAT	20030902	Management system for construction machines	340/870.16	340/988; 701/14	Kinugawa; Hideki
US 6614360 B1	USPAT	20030902	Measurement-while-drilling acoustic system employing multiple, segmented transmitters and receivers	340/853.1	340/854.5; 367/35	Leggett, III; James V. et al.
US 6608566 B1	USPAT	20030819	Real-time data acquisition system	340/870.11	702/35	Davis; Larry J.
US 6603408 B1	USPAT	20030805	Flexible membrane keyboard	341/34	200/512; 341/22	Gaba; Brenda Lewellen
US 6603117 B2	USPAT	20030805	Self contained sensing apparatus and system	250/239	414/222.01; 414/935	Corrado; Christopher et al.
US 6598974 B2	USPAT	20030729	Method and apparatus for measuring wavefront aberrations	351/221		Jones; Larry G. et al.
US 6593859 B1	USPAT	20030715	Data processing apparatus	341/20	341/22; 361/681	Watanabe; Hajime
US 6587055 B1	USPAT	20030701	Simultaneous triggering of remote units	340/856.3	181/107; 367/14; 702/14	Turner; Paul George et al.
US 6583729 B1	USPAT	20030624	High data rate acoustic telemetry system using multipulse block signaling with a minimum distance receiver	340/855.4	340/854.4; 367/82	Gardner; Wallace R. et al.
US 6573844 B1	USPAT	20030603	Predictive keyboard	341/22	345/173; 382/229	Venolia; Daniel et al.
US 6573843 B1	USPAT	20030603	Snap-on keyboard and method of integrating keyboard	341/22	345/173; 361/681	Murphy; Stephen C.
US 6570524 B1	USPAT	20030527	Method for remote communication with an addressable target using a generalized pointing device	341/176	340/825.69; 398/107	Mullaly; John Martin et al.
US 6567032 B1	USPAT	20030520	Method of directing communication between addressable targets using a generalized pointing device	341/176	340/825.69; 348/734; 398/106	Mullaly; John Martin et al.

US 6556150 B1	USPAT	20030429	Ergonomic computer input device	341/20	345/163	McLoone; Hugh E. et al.
US 6556146 B1	USPAT	20030429	Radio-interrogated surface-wave technology sensor	340/870.3	310/313B; 310/313R; 324/96	Ruile; Werner et al.
US 6556144 B1	USPAT	20030429	Method and apparatus for data communication with an underground instrument package	340/854.1	340/855.8	Roberts; George et al.
US 6552666 B1	USPAT	20030422	Phase difference detection device and method for a position detector	340/870.32	318/652; 324/207.16; 340/870.36	Goto; Atsutoshi et al.
US 6542091 B1	USPAT	20030401	Method for encoding key assignments for a data input device	341/22	400/489; 400/99	Rasanen; Wayne Allen
US 6535147 B1	USPAT	20030318	Segmented gain controller	341/34	178/18.04; 345/177	Masters; Tim et al.
US 6511178 B1	USPAT	20030128	Multifocal ophthalmic lenses and processes for their production	351/161		Roffman; Jeffrey H. et al.
US 6471597 B1	USPAT	20021029	Open top swing	472/119	297/273	Flannery; Mark A. et al.
US 6459383 B1	USPAT	20021001	Downhole inductively coupled digital electronic system	340/854.9	166/250.11; 340/854.8; 340/855.1	Delatorre; Leroy C.
US 6434084 B1	USPAT	20020813	Adaptive acoustic channel equalizer & tuning method	367/81	340/854.4; 340/855.4; 340/855.6; 367/82	Schultz; Roger L.
US 6429787 B1	USPAT	20020806	Rotating RF system	340/870.31	340/854.4; 343/700MS; 343/720; 367/82	Pyne; John W.
US 6429786 B1	USPAT	20020806	Sensor and evaluation system, in particular for double sensors for determining positions and limit values	340/870.27	340/853.2; 340/870.11	Bansemir; Werner et al.
US 6424285 B1	USPAT	20020723	Communications system for remote control systems	341/176	398/106	Perdue; Michael Kelly et al.
US 6419312 B1	USPAT	20020716	Incrementally slidable high chair tray with quick release	297/149	297/148; 297/151; 297/153	Flannery; Mark A. et al.
US 6400646 B1	USPAT	20020604	Method for compensating for remote clock offset	367/82	367/79; 367/83; 368/46	Shah; Vimal V. et al.

US 6396416 B1	USPAT	20020528	Add-on unit for connecting to a mobile station and a mobile station	340/870.28	128/903; 128/904; 340/573.1; 600/301	Kuusela; Tom et al.
US 6396415 B1	USPAT	20020528	Method and system of communicating in a subterranean well	340/855.8	340/855.4; 340/855.5; 340/855.9	Bulmer; James H.
US 6392562 B1	USPAT	20020521	Fluid particle sensor apparatus and method for transmitting data to a remote receiver	340/870.28	324/204; 340/631; 340/870.16; 73/61.41; 73/61.42	Boston; Timothy A. et al.
US 6392561 B1	USPAT	20020521	Short hop telemetry system and method	340/854.3	340/853.3; 340/855.1; 340/855.2; 367/82	Davies; Evan L. et al.
US 6384743 B1	USPAT	20020507	Touch screen for the vision-impaired	341/21	340/407.1; 340/825.19; 345/173; 434/112	Vanderheiden; Gregg C.
US 6384738 B1	USPAT	20020507	Pressure impulse telemetry apparatus and method	340/854.3	340/853.1; 367/83	Carstensen; Kenneth J. et al.
US D456189 S	USPAT	20020430	Open top swing	D6/500	D6/347	Flannery; Mark A. et al.
US 6377190 B1	USPAT	20020423	System for monitoring water consuming structures in an individual unit of a multi-unit building	340/870.02	137/883; 73/195; 73/196	Saar; David A.
US 6373404 B1	USPAT	20020416	Encoding sensor switch	341/20	341/22; 345/163	Chou; Chin- Wen
US 6373399 B1	USPAT	20020416	Wide area communications network for remote data generating stations	340/870.11	340/870.02; 340/870.03; 370/328	Johnson; Dennis F. et al.
US 6369721 B1	USPAT	20020409	Input device with page turning function	341/21	341/23; 345/173	Yang; Kuo- Ping et al.
US 6369718 B1	USPAT	20020409	Oil well monitoring and control system communication network	340/853.7	333/100; 340/310.11; 340/853.3; 340/854.9	Mathieu; Yves M.
US 6366218 B1	USPAT	20020402	Articulated transformer for measuring torque on a rotating shaft	340/870.31		Ruthroff; Clyde L.
US 6366217 B1	USPAT	20020402	Wide area remote telemetry	340/870.31	340/637; 340/870.02; 73/273	Cunningham; James D. et al.

US 6351225 B1	USPAT	20020226	Multimedia PC keyboard extended with music control keys	341/22	84/744; 84/745	Moreno; Enrique I.
US 6346894 B1	USPAT	20020212	Method and system for intelligent text entry on a numeric keypad	341/22	341/23; 345/168; 379/88.01; 379/93.27; 704/271	Connolly; Dennis et al.
US 6337636 B1	USPAT	20020108	System and techniques for seismic data acquisition	340/870.13	340/870.14; 367/21; 367/79	Page; Joel et al.
US 6272110 B1	USPAT	20010807	Method and apparatus for managing at least part of a communications network	370/232	370/235; 370/252; 382/156; 706/21	Tunnicliffe; Andrew et al.
US D443777 S	USPAT	20010619	High chair tray	D6/500		Flannery; Mark A. et al.
US 6240881 B1	USPAT	20010605	Leash assembly having pet refuse bag dispenser mechanism	119/795		Edwards; Timothy et al.
US 6231038 B1	USPAT	20010515	Two-piece clamp ring for holding semiconductor wafer or other workpiece	269/287	269/100; 269/903	Keyser; William et al.
US 6223695 B1	USPAT	20010501	Leash assembly having pet refuse bag dispenser mechanism	119/796	119/795; 119/858	Edwards; Timothy et al.
US 6135487 A	USPAT	20001024	Baby stroller with unique curved swinging legs and unique trigger to initiate swinging	280/642	280/650; 297/16.2; 297/48; 403/101; 403/163	Flannery; Mark A. et al.
US 6125105 A	USPAT	20000926	Method and apparatus for forecasting future values of a time series	370/230	370/255; 370/468; 706/22	Edwards; Timothy John et al.
US D429185 S	USPAT	20000808	Baby stroller profile frame	D12/129		Flannery; Mark A. et al.
US 6076717 A	USPAT	20000620	Pet refuse bag dispenser attachable to a leash or collar	225/6	225/106; 225/53; 294/1.3	Edwards; Timothy et al.
US 6075464 A	USPAT	20000613	Dynamic and non-contact measurement of displacement or of permittivity by use of a capacitive sensor	340/870.37	324/661; 324/690	Cloutier; Marius et al.
US 6067535 A	USPAT	20000523	Monitoring and retraining neural network	706/10	706/16; 706/25	Hobson; Phillip William et al.

US 6067029 A	USPAT	20000523	Power check meter	340/870.03	324/76.11; 340/657; 340/870.02; 340/870.07; 379/106.03	Durstun; Tom
US D419493 S	USPAT	20000125	Baby stroller	D12/129		Flannery; Mark A. et al.
US 5903471 A	USPAT	19990511	Method for optimizing element sizes in a semiconductor device	716/2		Pullela; Satyamurthy et al.
US 5815238 A	USPAT	19980929	Scanning laser demolding of ophthalmic lenses	351/177	264/1.7; 264/2.7; 351/178; 425/174.4; 425/808	Beaton; Stephen R. et al.
US 5790415 A	USPAT	19980804	Complementary network reduction for load modeling	716/6		Pullela; Satyamurthy et al.
US 5787008 A	USPAT	19980728	Simulation corrected sensitivity	703/19	716/6	Pullela; Satyamurthy et al.
US 5751593 A	USPAT	19980512	Accurate delay prediction based on multi-model analysis	716/6		Pullela; Satyamurthy et al.
US 5740970 A	USPAT	19980421	Misting system	239/551	239/566; 239/571	Edwards; Tim L.
US 5680119 A	USPAT	19971021	Vehicle responsive alert system	340/904	340/426.11; 340/531; 340/539.1; 340/825.69; 379/39; 70/257	Magliari; Gary et al.
US 5651502 A	USPAT	19970729	Produce mister	239/450	239/550; 239/557	Edwards; Tim L.
US 5582422 A	USPAT	19961210	Inflator mounting structure	280/728.2	280/732	Kelley; Scott A. et al.
US 5506728 A	USPAT	19960409	Dual combiner eyepiece	359/629	359/630; 359/631; 359/633; 359/634	Edwards; Tim J. et al.
US 5417557 A	USPAT	19950523	Laser assisted demolding of ophthalmic lenses	425/143	264/334; 425/174.4; 425/436R; 425/440; 425/808	Ross; Denwood F. et al.
US 5294379	USPAT	19940315	Laser assisted demolding of	264/1.36	264/2.3	Ross;

A			ophthalmic lenses			Denwood F. et al.
US 5067935 A	USPAT	19911126	Interaxle differential	475/248	180/249	Brown; Anthony K. et al.
US 4850133 A	USPAT	19890725	Spring loaded ecology bug catcher	43/136	294/104; 294/19.1; 43/137; D22/122	Burzdak; Louis et al.
US 4808303 A	USPAT	19890228	Produce hydration system	210/138	210/141; 210/153; 210/202; 210/257.1; 210/259; 210/423; 239/106; 239/320; 239/70; 312/115; 62/247	Edwards; Tim L. et al.
US 4745818 A	USPAT	19880524	Differential with angularly offset holdout rings	74/650		Edwards; Timothy R. et al.
US 4644818 A	USPAT	19870224	Differential apparatus with side-gear-centered center cam	74/650		Choma; Alvin A. et al.
US 4621835 A	USPAT	19861111	Two retractor passive restraint system	280/803	280/804; 280/807; 280/808	Edwards; Timothy P.
US 4458978 A	USPAT	19840710	Double beam systems for forming improved holograms	359/10	359/30	Arns; James A. et al.
US 4458977 A	USPAT	19840710	Systems for forming improved reflection holograms with a single beam	359/8		Arns; James A. et al.
US 4456328 A	USPAT	19840626	Systems for forming improved diffusion holograms	359/10		Arns; James A. et al.
US 3361639 A	USPAT	19680102	Nuclear reactor grid structure [TEXT AVAILABLE IN USOCR DATABASE]	376/441	376/447; 376/449; 976/DIG.63; 976/DIG.72	JOHN ASHCROFT DAVID et al.
US 3301764 A	USPAT	19670131	Nuclear fuel, grid and spacer assembly [TEXT AVAILABLE IN USOCR DATABASE]	376/442	976/DIG.75; 976/DIG.78	EDWARDS TIMBS ARTHUR et al.
US 3298922 A	USPAT	19670117	Nuclear fuel assembly [TEXT AVAILABLE IN USOCR DATABASE]	376/441	376/445; 976/DIG.61; 976/DIG.75;	JOHN PRINCE MICHAEL et

					976/DIG.79	al.
--	--	--	--	--	------------	-----